

AMENDMENTS TO THE CLAIMS

Claims 1-88 were originally filed.

Claims 1-52 were previously canceled as being directed to non-elected claims.

Claim 86 is canceled without prejudice.

Claims 53-85 and 87-88 remain unchanged and pending.

1. (Canceled).

2. (Canceled).

3. (Canceled).

4. (Canceled).

5. (Canceled).

6. (Canceled).

7. (Canceled).

8. (Canceled).

9. (Canceled).

- 1 10. (Canceled).
- 2
- 3 11. (Canceled).
- 4
- 5 12. (Canceled).
- 6
- 7 13. (Canceled).
- 8
- 9 14. (Canceled).
- 10
- 11 15. (Canceled).
- 12
- 13 16. (Canceled).
- 14
- 15 17. (Canceled).
- 16
- 17 18. (Canceled).
- 18
- 19 19. (Canceled).
- 20
- 21 20. (Canceled).
- 22
- 23 21. (Canceled).
- 24
- 25 22. (Canceled).

1

2

23. (Canceled).

3

4

24. (Canceled).

5

6

25. (Canceled).

7

8

26. (Canceled).

9

10

27. (Canceled).

11

12

28. (Canceled).

13

14

29. (Canceled).

15

16

30. (Canceled).

17

18

31. (Canceled).

19

20

32. (Canceled).

21

22

33. (Canceled).

23

24

34. (Canceled).

25

- 1 35. (Canceled).
- 2
- 3 36. (Canceled).
- 4
- 5 37. (Canceled).
- 6
- 7 38. (Canceled).
- 8
- 9 39. (Canceled).
- 10
- 11 40. (Canceled).
- 12
- 13 41. (Canceled).
- 14
- 15 42. (Canceled).
- 16
- 17 43. (Canceled).
- 18
- 19 44. (Canceled).
- 20
- 21 45. (Canceled).
- 22
- 23 46. (Canceled).
- 24
- 25 47. (Canceled).

1
2 48. (Canceled).

3
4 49. (Canceled).

5
6 50. (Canceled).

7
8 51. (Canceled).

9
10 52. (Canceled).

11
12 53. (Original) A language input user interface comprising:
13 a line-based entry area;
14 an input text displayed within the line-based entry area; and
15 an output text, converted from the input text, displayed together with
16 unconverted input text within the line-based entry area.

17
18 54. (Original) A language input user interface as recited in claim 53,
19 wherein the input text comprises a phonetic text and the output text comprises a
20 character-based language text.

21
22 55. (Original) A language input user interface as recited in claim 53,
23 wherein the input text comprises Chinese Pinyin and the output text comprises
24 Chinese Hanzi.
25

1 56. **(Original)** A language input user interface as recited in claim 53,
2 wherein the line-based entry area is oriented horizontally.

3
4 57. **(Original)** A language input user interface as recited in claim 53,
5 wherein the output text replaces the input text from which the output text was
6 converted.

7
8 58. **(Original)** A language input user interface as recited in claim 53,
9 wherein the output text is further modified as additional input text is entered.

10
11 59. **(Original)** A language input user interface as recited in claim 53,
12 wherein the output text is rendered fixed in response to user entry of punctuation.

13
14 60. **(Original)** A language input user interface as recited in claim 53,
15 wherein the output text is rendered fixed in response to user confirmation of the
16 output text.

17
18 61. **(Original)** A language input user interface as recited in claim 53,
19 further comprising editing means for editing the output text within the line-based
20 entry area without switching from an entry mode to an edit mode.

21
22 62. **(Original)** A language input user interface as recited in claim 53,
23 further comprising an edit window, invokable by a user, positioned adjacent to
24 particular output text to be edited.
25

1 63. **(Original)** A language input user interface as recited in claim 53,
2 wherein the line-based entry area is oriented in a first direction and further
3 comprising an edit window positioned adjacent to the line-based entry area and
4 oriented in a second direction orthogonal to the first direction.

5
6 64. **(Original)** A language input user interface as recited in claim 53,
7 further comprising an input text hint, invokable by a user, positioned adjacent to
8 line-based entry area near selected output text to be edited, the input text hint
9 window containing the input text from which the selected output text was
10 converted.

11
12 65. **(Original)** A language input user interface as recited in claim 53,
13 further comprising a candidate list, invokable by a user, positioned adjacent to
14 line-based entry area near selected output text to be edited, the candidate list
15 containing one or more alternate output text candidates that may be substituted for
16 the selected output text.

17
18 66. **(Original)** A language input user interface as recited in claim 65,
19 wherein the output text candidates are ordered within the candidate list according
20 to a ranking.

21
22 67. **(Original)** A language input user interface as recited in claim 65,
23 wherein the candidate list is scrollable and the output candidates are animated
24 during scrolling.
25

1 68. (Original) A language input user interface as recited in claim 53,
2 further comprising:

3 first and second candidate lists invokable by a user;
4 the first candidate list containing one or more alternate output text
5 candidates that may be substituted for the selected output text; and
6 the second candidate list containing a complete set of output text candidates
7 than the first candidate list.

8
9 69. (Original) A language input user interface as recited in claim 68,
10 wherein the output text candidates in the second candidate list are arranged
11 according to complexity of character construction.

12
13 70. (Original) A language input user interface as recited in claim 68,
14 wherein the output text candidates are ordered within the first candidate list
15 according to a first metric and the output text candidates are arranged in the
16 second candidate list according to a second metric different than the first metric.

17
18 71. (Original) A language input user interface as recited in claim 53,
19 wherein the line-based entry area is oriented in a first direction, and further
20 comprising:

21 an input text hint positioned above the line-based entry area near selected
22 output text to be edited and oriented in a second direction orthogonal to the first
23 direction, the input text hint containing the input text from which the selected
24 output text was converted; and
25

1 a candidate list positioned below the line-based entry area near the selected
2 output text to be edited, the candidate list containing one or more alternate output
3 text candidates that may be substituted for the selected output text.

4
5 72. (Original) A language input user interface as recited in claim 53,
6 wherein the input text contains phonetic and non-phonetic text and the output text,
7 phonetic input text and non-phonetic input text are displayed together within the
8 line-based entry area.

9
10 73. (Original) A word processor comprising the language input user
11 interface as recited in claim 53.

12
13 74. (Original) A language input architecture comprising:
14 a user interface to enable a user to enter an input text;
15 a language conversion unit to convert the input text to an output text; and
16 the user interface being configured to display the converted output text in-
17 line with unconverted input text.

18
19 75. (Original) A language input architecture as recited in claim 74,
20 wherein the input text comprises a phonetic text and the output text comprises a
21 character-based language text.

22
23 76. (Original) A language input architecture as recited in claim 74,
24 wherein the input text comprises Chinese Pinyin and the output text comprises
25 Chinese Hanzi.

1
2 77. (Original) A language input architecture as recited in claim 74,
3 wherein the user interface presents the output text and unconverted input text
4 within a common horizontal line.

5
6 78. (Original) A language input architecture as recited in claim 74,
7 wherein the language conversion unit continues to modify the output text as
8 additional input text is entered, the user interface changing the output text as the
9 output text is modified.

10
11 79. (Original) A language input architecture as recited in claim 74,
12 wherein the user interface enables a user to edit the output text without switching
13 from an entry mode to an edit mode.

14
15 80. (Original) A language input architecture as recited in claim 74,
16 wherein the user interface presents the output text and unconverted input text
17 within a common line oriented in a first direction and further presents an edit
18 window near selected output text to be edited, the edit window being oriented in a
19 second direction orthogonal to the first direction.

20
21 81. (Original) A language input architecture as recited in claim 74,
22 wherein the user interface presents an input text hint containing the input text from
23 which the selected output text was converted.
24
25

1 82. **(Original)** A language input architecture as recited in claim 74,
2 wherein the user interface presents a candidate list containing one or more
3 alternate output text candidates that may be substituted for the selected output text.

4
5 83. **(Original)** A language input architecture as recited in claim 74,
6 wherein the user interface presents first and second candidate lists, the first
7 candidate list containing one or more alternate output text candidates that may be
8 substituted for the selected output text and the second candidate list containing a
9 complete set of output text candidates than the first candidate list.

10
11 84. **(Original)** A language input architecture as recited in claim 74,
12 wherein the input text contains phonetic and non-phonetic text, further
13 comprising:

14 the language conversion unit is configured to convert the phonetic text to
15 language text while leaving the non-phonetic text unconverted; and

16 the user interface is configured to display the language text, unconverted
17 phonetic text, and the non-phonetic text in-line with one another.

18
19 85. **(Once Amended)** A word processor comprising the language input
20 architecture as recited in claim 74.

21
22 86. **(Canceled)**

23
24 87. **(Original)** One or more computer-readable media having computer-
25 executable instructions that, when executed on a processor, direct a computer to:

1 receive an input string of phonetic text;
2 convert the input string of phonetic text to an output string of language text;
3 and
4 display the language text and unconverted phonetic text in-line together
5 within a line-based entry area.
6

7 88. (Original) One or more computer-readable media having computer-
8 executable instructions that, when executed on a processor, direct a computer to:
9 receive an input string of phonetic text and non-phonetic text;
10 convert the phonetic text to language text; and
11 display the language text, non-phonetic text, and unconverted phonetic text
12 in-line together within a line-based entry area.
13
14
15
16
17
18
19
20
21
22
23
24
25